


Accessing the PELKON III System

Step → 1


You have to click/open your Internet Browser. Then type the URL of PELKON III application in the "**Browser Address Bar**" as the following :-

<http://pelkon3.penangport.com.my>



First time when you access to the PELKON III system the following security warning will be displayed to install the **Oracle JInitiator** software.


Note : *Some user will not receive this Security Warning pop-up window. In this case, proceed to the next step.*



Step → 2

Click "Yes" to install **Oracle JInitiator**.


Note: It will take some time to download this software.




Step → 3

Click **Next** to start **JInitiator** installation in destination folder.

Below is the progress of the JInitiator installation:




After the installation is completed, the following screen will be displayed by the installation process and asking to restart the browser.



Step → 4


Click "OK" button, to complete the installation.



Step → 5

- Restarting the browser or just Click on the “Refresh” button in the browser to open the PELKON III Application.
- Go to “Favourite” and choose “Add to favourite”.
- Change the Name to PELKON3 and then click “OK”.
- Go to “Favourite”, choose “PELKON3” that you have created just now and right click. Choose Sent to and follow by Desktop (create shortcut) to create the shortcut. For the next access, you just clicked this icon.

PELKON III “Login Screen” will be displayed as shown below:



Step → 6

- Enter “User Name”

Step → 7

- Enter “Password”

Step → 8


- Click “OK” button to log into PELKONIII

The PELKON III main screen will be displayed as shown below:



Client PC Software Requirements:

- Internet connectivity to access PELKON III application server.
- Internet Explorer above 5.0 or Netscape Navigator.
- Acrobat Reader for viewing and print the Reports.
- For viewing reports POP-UP Blocker should be disabled.
- The Active-X controls should be enabled in the browser, the following are the steps to be followed to enable Active-X controls.



1. On **Tools** menu on **Internet Explorer** click **Internet Options**
2. Click **Security** tab
3. Select a security zone: **Internet**
4. Under **Security level for the zone** click the **Custom Level** button.
5. In **Security Settings** window, under Run **ActiveX controls and plug-ins**, select **Enable**
6. Click **OK** button.
7. Click **OK** button to save settings.